
Florida

Ranking Highlights^a

| | National Rank | Rank Among Southeastern States* |
|-------------------------------|------------------|---------------------------------------|
| Overall | 36 of 51 | 4 of 12 |
| COVID-19 | 25 | 2 |
| Access & Affordability | 47 | 10 |
| Prevention & Treatment | 46 | 10 |
| Avoidable Hospital Use & Cost | 43 | 8 |
| Healthy Lives | 26 | 2 |
| Income Disparity | 33 | 4 |
| Racial & Ethnic Equity | 22 | 4 |
| | | |

^{*} Southeastern states include AL, AR, FL, GA, KY, LA, MS, NC, SC, TN, VA, WV



How Florida Compares to All States



Worse-than-average overall performance

Better-than-average overall performance

DE MT ND AK SD AZ OH NC KS IN SC LA TN KY NV WY AR GA AL MO TX WV OK MS

The Best and Worst in Florida

Top-Ranked Indicators

Adults with any mental illness reporting unmet need

Home health patients with a hospital admission

Deaths from COVID-19 in nursing homes

Most Improved Indicators

Diabetic adults without an annual hemoglobin A1c test

Adults who report fair or poor health

Preventable hospitalizations age 65 and older

Bottom-Ranked Indicators

Adults with any mental illness who did not receive treatment

Children who did not receive needed mental health care

Adults with age-appropriate vaccines

Indicators That Worsened the Most

Adults with any mental illness reporting unmet need

Preventable hospitalizations ages 18-64

Home health patients with improved mobility



Table 1. State Health System Performance Indicator Data by Dimension

| Dimension and indicator | Data year | State rate | U.S. average | Best state rate | State rank | Data year | State rate | U.S. average | Change over time ^b |
|---|---------------------|------------|-----------------|-----------------------|------------|---------------------|------------|-----------------|-------------------------------------|
| Access & Affordability | | | Scorecard | | | | Baseline | | |
| Adults ages 19–64 uninsured | 2020 | 18% | 12% | 4% | 48 | 2016 | 19% | 12% | No Change |
| Children ages 0–18 uninsured | 2020 | 7% | 5% | 2% | 39 | 2016 | 7% | 5% | No Change |
| Adults age 18 and older without a usual source of care | 2020 | 29% | 23% | 12% | 44 | 2016 | 28% | 22% | No Change |
| Adults age 18 and older who went without care because of cost in past year | 2020 | 14% | 11% | 6% | 48 | 2016 | 17% | 13% | Improved |
| Individuals under age 65 with high out- of-pocket medical costs relative to their annual household income | 2019–20 | 8% | 7% | 3% | 26 | 2016–17 | 9% | 9% | Improved |
| Employee total potential out-of-pocket medical costs as a share of state median income | 2020 | 16% | 12% | 8% | 49 | 2016 | 15% | 11% | Worsened |
| People with medical debt | 2020 | 18% | 15% | 2% | 31 | _ | _ | _ | _ |
| Adults age 18 and older without a dental visit in past year | 2020 | 39% | 35% | 25% | 40 | 2016 | 37% | 34% | No Change |
| Prevention & Treatment | | 2022 | Scorecard | | | | | | |
| Adults with all age- and gender- appropriate cancer screenings | 2020 | 70% | 69% | 76% | 18 | 2016 | 67% | 68% | Improved |
| Adults with age-appropriate flu and pneumonia vaccines | 2020 | 35% | 44% | 54% | 51 | 2016 | 32% | 37% | No Change |
| Diabetic adults without an annual hemoglobin A1c test | 2019 | 11% | 8% | 8% | 20 | 2015 | 19% | 17% | Improved |
| Children with a medical home | 2019–20 | 40% | 47% | 57% | 48 | 2016–17 | 41% | 49% | No Change |
| Children without a medical and dental preventive care visit | 2019–20 | 37% | 34% | 23% | 41 | | _ | _ | _ |
| Children who did not receive needed mental health care | 2019–20 | 29% | 19% | 10% | 49 | 2016–17 | 25% | 20% | Worsened |
| Children without all recommended vaccines | 2020 | 26% | 27% | 14% | 20 | 2016 | 33% | 29% | Improved |
| Hospital 30-day mortality | 07/2016– 06/2019 | 13% | 14% | 12% | 16 | 07/2012– 06/2015 | 14% | 15% | Improved |
| Central line-associated bloodstream infections (CLABSI), Standardized Infection Ratio | 2020 | 0.848 | 0.857 | 0.419 | 27 | 2016 | 0.905 | 0.891 | No Change |
| Hospitals with overall patient experience ratings higher than the national median | 2020 | 35% | 48% | 76% | 39 | 2017 | 37% | 55% | No Change |
| Home health patients with improved mobility | 2019 | 82% | 80% | 87% | 17 | 2016 | 74% | 71% | Improved |
| Nursing home residents with an antipsychotic medication | 2020 | 12% | 14% | 9% | 8 | 2016 | 16% | 16% | Improved |

Table 1. State Health System Performance Indicator Data by Dimension (cont.)

| Dimension and indicator | Data year | State rate | U.S. average | Best state rate | State rank | Data year | State rate | U.S. average | Change over time ^b |
|--|----------------|---------------|-----------------|-----------------------|------------|--------------|---------------|-----------------|-------------------------------------|
| Prevention & Treatment (cont.) | | 2022 | Scorecard | l | | | Baseline | | |
| Adults with any mental illness reporting unmet need | 2018–19 | 22% | 25% | 15% | 4 | 2013–15 | 18% | 20% | Worsened |
| Adults with any mental illness who did not receive treatment | 2018–19 | 64% | 56% | 43% | 49 | 2013–15 | 62% | 56% | No Change |
| Avoidable Hospital Use & Cost | | 2022 | Scorecard | | | | Baseline | | |
| Potentially avoidable emergency departs | ment visits | | | | | | | | |
| Ages 18–64, per 1,000 employer-insured enrollees | 2019 | 206 | 137 | 73 | 47 | 2015 | 178 | 159 | Worsened |
| Age 65 and older, per 1,000 Medicare beneficiaries | 2020 | 140 | 137 | 112 | 32 | 2016 | 179 | 185 | Improved |
| Admissions for ambulatory care–sensitive | e conditions | i | | | | | | | |
| Ages 18–64, per 1,000 employer-insured enrollees | 2019 | 7 | 7 | 6 | 35 | 2015 | 6 | 5 | Worsened |
| Age 65 and older, per 1,000 Medicare beneficiaries | 2020 | 30 | 29 | 16 | 31 | 2016 | 45 | 43 | Improved |
| 30-day hospital readmissions | | | | | | | | | |
| Ages 18–64, per 1,000 employer-insured enrollees | 2019 | 3 | 3 | 3 | 23 | 2015 | 4 | 3 | Improved |
| Age 65 and older, per 1,000 Medicare beneficiaries | 2020 | 40 | 33 | 17 | 46 | 2016 | 48 | 40 | Improved |
| Skilled nursing facility patients with a hospital readmission | 2016 | 21% | 19% | 11% | 43 | 2012 | 22% | 20% | No Change |
| Long-stay nursing home residents hospitalized within a six-month period | 2016 | 21% | 15% | 5% | 46 | 2012 | 23% | 17% | No Change |
| Home health patients also enrolled in Medicare with a hospital admission | 2019 | 14% | 15% | 11% | 6 | 2016 | 16% | 16% | Improved |
| Adults with inappropriate lower back imaging | 2019 | 66% | 68% | 57% | 14 | 2015 | 65% | 71% | No Change |
| Employer-sponsored insurance spending per enrollee | 2019 | \$5,301 | \$5,354 | \$4,082 | 22 | 2015 | \$5,050 | \$4,736 | No Change |
| Medicare spending per beneficiary | 2020 | \$11,148 | \$9,677 | \$6,256 | 49 | 2016 | \$10,847 | \$9,342 | No Change |
| Primary care spending as a share of total | al health care | espending | | | | | | | |
| Ages 18–64 (employer-insured enrollees) | 2019 | 5% | 7% | 11% | 45 | 2018 | 5% | 6% | No Change |
| Age 65 and older (Medicare beneficiaries) | 2020 | 6% | 6% | 8% | 8 | 2016 | 6% | 6% | No Change |
| Healthy Lives 2022 Scorecard | | | | | | | Baseline | | |
| Premature deaths from treatable causes per 100,000 population | 2019–20 | 83 | 86 | 60 | 28 | 2018–19 | 81 | 84 | No Change |
| Premature deaths from preventable causes per 100,000 population | 2019–20 | 180 | 173 | 131 | 26 | 2018–19 | 174 | 166 | No Change |

Table 1. State Health System Performance Indicator Data by Dimension (cont.)

| Dimension and indicator | Data year | State rate | U.S. average | Best state rate | State rank | Data year | State rate | U.S. average | Change over time ^b |
|--|--------------|------------|-----------------|-----------------------|------------|--------------|---------------|-----------------|-------------------------------------|
| Healthy Lives (cont.) | | 2022 | Scorecard | | | | Baseline | | |
| Infant mortality, deaths per 1,000 live births | 2019 | 6 | 6 | 3 | 32 | 2015 | 6 | 6 | No Change |
| Maternal deaths while pregnant or within 42 days of termination of pregnancy, per 100,000 live births | 2019–2020 | 25 | 22 | 10 | 17 | _ | _ | _ | _ |
| Suicide deaths per 100,000 population | 2020 | 13 | 14 | 6 | 14 | 2016 | 14 | 14 | No Change |
| Alcohol-related deaths per 100,000 population | 2020 | 13 | 13 | 8 | 19 | 2016 | 10 | 10 | No Change |
| Drug overdose deaths per 100,000 population | 2020 | 35 | 28 | 10 | 36 | 2016 | 24 | 20 | Worsened |
| Adults who report fair or poor health | 2020 | 12% | 12% | 9% | 32 | 2016 | 18% | 16% | Improved |
| Adults who smoke | 2020 | 15% | 14% | 8% | 24 | 2016 | 15% | 16% | No Change |
| Adults who are obese | 2020 | 29% | 33% | 24% | 13 | 2016 | 28% | 30% | No Change |
| Children who are overweight or obese | 2019–20 | 33% | 32% | 23% | 34 | 2016–17 | 36% | 31% | Improved |
| Adults who have lost six or more teeth | 2020 | 9% | 9% | 5% | 33 | 2016 | 12% | 10% | Improved |
| State-based public health spending per resident | 2019 | \$19 | \$40 | \$366 | 39 | _ | _ | _ | _ |
| COVID-19 ^c | | 2022 | Scorecard | | | | Baseline | | |
| Adults age 18 and older who are fully vaccinated against COVID-19 and who have a booster dose | 2022 | 32% | 37% | 55% | 31 | _ | _ | _ | _ |
| Number of days until 70 percent of the state's population age 12 and older was fully vaccinated against COVID-19 | 2022 | 335 | 354 | 182 | 22 | _ | _ | _ | _ |
| Days of high ICU stress during the COVID-19 pandemic | 2022 | 197 | 112 | 0 | 38 | _ | _ | _ | _ |
| Days of hospital staffing shortages during the COVID-19 pandemic | 2022 | 9 | 50 | 0 | 18 | _ | _ | _ | _ |
| Hospital admissions for confirmed COVID-19 cases, per 100,000 population | 2022 | 1,931 | 1,443 | 564 | 46 | _ | _ | _ | _ |
| Excess deaths associated with COVID-19, per 100,000 population | 2022 | 374 | 345 | 110 | 33 | _ | _ | _ | _ |
| Deaths from COVID-19 among nursing home residents, per 1,000 beds | 2022 | 67 | 94 | 19 | 6 | _ | _ | _ | _ |

Table 2. State Income Disparity Data

| | Data year | Low- income rate ^d | Disparity ^e | State rank | Data year | Low- income rate ^d | Disparity ^e | Change over time ^f |
|--|--------------|-------------------------------------|------------------------|------------|--------------|-------------------------------------|------------------------|-------------------------------------|
| Disparity Indicator | | 2022 Sc | orecard | | | Baseline | | |
| Adults ages 19–64 uninsured | 2020 | 31% | -22 | 42 | 2016 | 31% | -25 | Improved |
| Children ages 0–18 uninsured | 2020 | 8% | -4 | 22 | 2016 | 8% | -5 | Improved |
| Adults age 18 and older who went without care because of cost in past year | 2019–20 | 28% | -20 | 40 | 2015–16 | 29% | -23 | Improved |
| Individuals under age 65 with high out-of-pocket medical costs relative to their annual household income | 2019–20 | 17% | -16 | 21 | 2016–17 | 20% | -18 | Improved |
| Adults age 18 and older without a dental visit in past year | 2018/20 | 52% | -28 | 27 | 2014/16 | 53% | -33 | Improved |
| Adults with all recommended cancer screenings | 2018/20 | 62% | -13 | 43 | 2014/16 | 60% | -16 | Improved |
| Adults with age-appropriate flu and pneumonia vaccines | 2019–20 | 24% | -15 | 33 | 2015–16 | 25% | -12 | Worsened |
| Children without age-appropriate medical and dental preventive care visits in the past year | 2019–20 | 44% | -18 | 24 | _ | _ | _ | _ |
| Children without all recommended vaccines | 2020 | 30% | -8 | 8 | 2016 | 41% | -15 | Improved |
| Adults who report fair or poor health | 2019–20 | 26% | -20 | 34 | 2015–16 | 29% | -23 | Improved |
| Adults who smoke | 2019–20 | 23% | -13 | 12 | 2015–16 | 22% | -12 | Worsened |
| Adults who are obese | 2019–20 | 32% | -9 | 42 | 2015–16 | 32% | -7 | Worsened |
| Adults who have lost six or more teeth | 2019–20 | 16% | -11 | 21 | 2015–16 | 16% | -10 | No Change |

Table 3. State Racial and Ethnic Health Equity Performance Summary Data⁹

Health System Performance Score & State Rank Among Population Group reproduced here from the 2021 State Equity Scorecard

| | Percentile Score (1–100) | State Rank Among Population Group |
|--|-----------------------------|--------------------------------------|
| American Indian and Alaska Native People | 4 | 10 of 14 states |
| Asian American, Native Hawaiian, and Pacific Islander People | 74 | 13 of 23 states |
| Black People | 23 | 24 of 38 states |
| Latinx/Hispanic People | 38 | 19 of 42 states |
| White People ^h | 67 | 10 of 51 states |

From: Achieving Racial and Ethnic Equity in U.S. Health Care: A Scorecard of State Performance, Commonwealth Fund, Nov. 2021.

| Table 4. State Racial and Ethnic Health Equity Performance Measure Data ⁹ | | | | | | | | |
|--|--------------|---------------|----------------|------------------|-----------------|-------------------------------|--------------|--|
| | Data year | U.S. total | AIAN people | AANHPI people | Black people | Latinx/ Hispanic people | White people | |
| Health Outcomes | | | | | | | | |
| Mortality amenable to health care, deaths per 100,000 population | 2019–20 | 87 | 53 | 46 | 144 | 58 | 83 | |
| Infant mortality, deaths per 1,000 live births | 2018–19 | 6 | | 5 | 11 | 5 | 5 | |
| Breast cancer deaths per 100,000 female population | 2019–20 | 19 | _ | 12 | 26 | 13 | 19 | |
| Colorectal cancer deaths per 100,000 population | 2019–20 | 13 | _ | 9 | 16 | 11 | 12 | |
| 30-day hospital readmissions among Medicare beneficiaries age 65 and older, per 1,000 beneficiaries | 2019 | 38 | _ | _ | 79 | _ | 41 | |
| Adults ages 18 and older who smoke | 2019–20 | 15% | 24% | _ | 13% | 13% | 16% | |
| Adults ages 18–64 who are obese (BMI >= 30) | 2019–20 | 32% | 15% | 16% | 34% | 27% | 28% | |
| Adults who have lost six or more teeth | 2018/20 | 9% | 17% | _ | 10% | 9% | 11% | |
| Health Care Access | | | | | | | | |
| Adults ages 19–64 uninsured | 2020 | 12% | 20% | 13% | 21% | 24% | 15% | |
| Children ages 0–18 uninsured | 2020 | 5% | _ | 5% | 7% | 8% | 6% | |
| Adults age 18 and older who went without care because of cost in past year | 2019–20 | 12% | 23% | 9% | 20% | 20% | 12% | |
| Insured individuals under age 65 with high out-of-pocket medical costs relative to their annual household income | 2019–20 | 6% | _ | 3% | 7% | 5% | 7% | |
| Adults age 18 and older without a usual source of care | 2019–20 | 23% | 36% | 31% | 28% | 40% | 23% | |
| Health Care Quality and Service Use | | | | | | | | |
| Hospital admissions for ambulatory care–sensitive conditions, Medicare beneficiaries age 65 and older, per 1,000 beneficiaries | 2019 | 39 | _ | _ | 70 | _ | 40 | |

Table 4. State Racial and Ethnic Health Equity Performance Measure Data (cont.)9

| | Data year | U.S. total | AIAN people | AANHPI people | Black people | Latinx/ Hispanic people | White people |
|---|--------------|---------------|----------------|------------------|-----------------|-------------------------------|--------------|
| Health Care Quality and Service Use (cont.) | | | | | | | |
| Potentially avoidable emergency department visits, Medicare beneficiaries age 65 and older, per 1,000 beneficiaries | 2019 | 185 | _ | _ | 287 | _ | 180 |
| Adult women ages 50–74 who received a mammogram in the past two years | 2018/20 | 79% | 50% | 67% | 87% | 88% | 78% |
| Adult women ages 25–64 who received a cervical cancer screening test in the past three years | 2018/20 | 77% | 56% | 74% | 84% | 81% | 73% |
| Adults ages 50–74 with a recent colon cancer screening test | 2018/20 | 70% | 51% | 72% | 68% | 66% | 76% |
| Adults age 18 and older who received a flu shot in the last year | 2019–20 | 45% | 36% | 44% | 29% | 27% | 44% |
| Adults age 65 and older who have ever gotten a pneumonia vaccine | 2019–20 | 71% | 66% | 61% | 55% | 44% | 71% |
| Children without a medical and dental preventive care visit | 2019–20 | 34% | _ | _ | 36% | 42% | 35% |
| Children without all recommended vaccines | 2020 | 27% | _ | _ | _ | 31% | 24% |
| Adults age 18 and older without a dental visit in past year | 2018/20 | 35% | 44% | 37% | 40% | 40% | 34% |
| Primary care spending as share of total health care spending among Medicare beneficiaries age 65 and older | 2020 | 6% | _ | _ | 5% | _ | 6% |

Notes

- (a) The 2022 Scorecard rankings generally reflect 2020 data. The 2022 Scorecard added or revised several performance measures, including the addition of seven measures specifically related to performance during the COVID-19 pandemic, since the September 2020 Scorecard report; rankings are not comparable between reports.
- (b) Trend data available for 45 of 56 total Scorecard indicators. Improved/worsened denotes a change of at least one-half (0.5) standard deviation larger than the indicator's distribution among all states over the two time points. No change denotes no change in rate or a change of less than one-half standard deviation.
- (c) All COVID-19 measures are current through the end of March 2022.
- (d) Rates are for states' low-income population, generally those whose household income is less than 200% of the federal poverty level (FPL).
- (e) Income disparity is the difference between the states' low-income and higher-income (generally 400%+ FPL) populations.
- (f) Improvement indicates that the low-income rate improved and the disparity between low- and higher-income populations narrowed; worsening indicates that the low-income rate worsened and the disparity between low- and higher-income populations widened.
- (g) Performance data not available for all groups in every state. While scores from the 2021 Equity Scorecard report are used for ranking states, certain data indicators presented in Table 4 may be more recent than those used in the 2021 report due to updates during the past six months. Certain cancer screening indicators in Table 4 are specific to the Equity Scorecard report.
- (h) States not ranked on health system perfomance for white people in this report; included for comparative purposes.
- "—" means data not available.

Data reported here can also be found in the Commonwealth Fund's online Health System Data Center https://www.commonwealthfund.org/datacenter