


Maryland

Ranking Highlights^a

	National Rank	Rank Among Mid-Atlantic States*
Overall	8 of 51	1 of 6
Reproductive & Women’s Health	17	5
Access & Affordability	14	4
Prevention & Treatment	10	2
Avoidable Hospital Use & Cost	18	1
Healthy Lives	14	3
Income Disparity	10	2
Racial & Ethnic Health Equity	7	2


* Mid-Atlantic states include DE, DC, MD, NJ, NY, PA

How Health Care Performance Changed in Maryland^b



- Indicators That Improved
- Indicators That Worsened
- Indicators with Little or No Change

How Maryland Compares to All States



The Best and Worst in Maryland

Best Performance

- Employer-sponsored insurance spending per enrollee
- Alcohol deaths
- Home health patients with improved mobility

Improved the Most

- Potentially avoidable emergency department visits age 65 and older
- Preventable hospitalizations ages 18–64
- Hospital 30-day mortality

Worst Performance

- No early prenatal care
- Drug overdose deaths
- Central line-associated blood stream infection (CLABSI)

Worsened the Most

- Premature deaths from preventable causes
- Home health patients with improved mobility
- Central line-associated blood stream infection (CLABSI)

Table 1. State Health System Performance Indicator Data by Dimension

Dimension and indicator	Data year	State rate	U.S. average	Best state rate	State rank	Data year	State rate	U.S. average	Change over time ^b					
Access & Affordability					2023 Scorecard					Baseline				
Adults ages 19–64 uninsured	2021	8%	12%	3%	16	2019	8%	13%	No Change					
Children ages 0–18 uninsured	2021	5%	5%	1%	26	2019	3%	6%	Worsened					
Adults age 18 and older who went without care because of cost in past year	2021	9%	10%	5%	25	2019	11%	14%	Improved					
Adults age 18 and older without a usual source of care	2021	13%	17%	9%	11	—	—	—	—					
Individuals under age 65 with high out-of-pocket medical costs relative to their annual household income	2020–21	6%	7%	5%	6	2018–19	8%	10%	Improved					
Employee total potential out-of-pocket medical costs as a share of state median income	2021	9%	12%	7%	5	2019	9%	12%	No Change					
People with medical debt	2021	10%	13%	2%	19	—	—	—	—					
Adults age 18 and older without a dental visit in past year	2020	34%	35%	25%	28	2018	33%	34%	No Change					
Prevention & Treatment					2023 Scorecard					Baseline				
Adults with all age- and gender-appropriate cancer screenings	2020	73%	69%	76%	7	2018	72%	68%	No Change					
Adults with age-appropriate flu and pneumonia vaccines	2021	47%	42%	54%	14	2019	47%	41%	No Change					
Adults vaccinated against COVID-19 with a booster	2022	53%	42%	63%	8	—	—	—	—					
Diabetic adults without an annual hemoglobin A1c test	2021	10%	10%	4%	28	2019	13%	8%	Improved					
Children without all recommended vaccines	2021	19%	28%	12%	5	2019	24%	27%	Improved					
Children with a medical home	2020–21	46%	46%	55%	37	2018–19	46%	48%	No Change					
Children without a medical and dental preventive care visit	2020-21	31%	38%	26%	8	—	—	—	—					
Children who did not receive needed mental health care	2020–21	17%	20%	11%	18	2018–19	17%	18%	No Change					
Adults age 18 and older with any mental illness who did not receive treatment	2019–20	55%	55%	41%	35	—	—	—	—					
Youth ages 12–17 with a major depressive episode who did not receive mental health services	2019–20	59%	60%	33%	34	—	—	—	—					
Hospitals with better-than-average patient experience ratings	2021	—	45%	83%	—	2019	—	48%	—					
Hospital 30-day mortality	07/2018–12/2021	12%	12%	11%	14	07/2016–06/2019	13%	14%	Improved					

Table 1. State Health System Performance Indicator Data by Dimension (cont.)

Dimension and indicator	Data year	State rate	U.S. average	Best state rate	State rank	Data year	State rate	U.S. average	Change over time ^b
Prevention & Treatment (cont.)	2023 Scorecard					Baseline			
Central line-associated bloodstream infection (CLABSI)	2021	1.023	0.921	0.571	40	2019	0.730	0.689	Worsened
Nursing home residents with an antipsychotic medication	2020	13%	14%	9%	13	2018	12%	15%	No Change
Home health patients with improved mobility	2019	85%	80%	87%	4	2017	78%	75%	Improved
Avoidable Hospital Use & Cost	2023 Scorecard					Baseline			
Potentially avoidable emergency department visits									
Ages 18–64, per 1,000 employer-insured enrollees	2021	129	134	122	13	2019	128	137	No Change
Age 65 and older, per 1,000 Medicare beneficiaries	2021	136	141	115	22	2019	184	185	Improved
Admissions for ambulatory care–sensitive conditions									
Ages 18–64, per 1,000 employer-insured enrollees	2021	4	4	4	21	2019	6	7	Improved
Age 65 and older, per 1,000 Medicare beneficiaries	2021	26	29	16	21	2019	37	41	Improved
30-day hospital readmissions									
Ages 18–64, per 1,000 employer-insured enrollees	2021	3	3	2	23	2019	3	3	No Change
Age 65 and older, per 1,000 Medicare beneficiaries	2021	35	33	16	34	2019	40	40	No Change
Skilled nursing patients with a successful discharge	2020	59%	57%	69%	17	2018	56%	54%	Improved
Home health patients with a hospital admission	2019	16%	15%	11%	21	2017	15%	16%	Worsened
Adults with inappropriate lower back imaging	2021	71%	69%	60%	33	2019	68%	68%	Worsened
Employer-sponsored insurance spending per enrollee	2021	\$4,417	\$6,060	\$4,255	2	2019	\$4,343	\$5,354	No Change
Medicare spending per beneficiary	2021	\$10,301	\$10,478	\$6,915	27	2019	\$9,965	\$10,180	No Change
Primary care spending as a share of total health care spending									
Ages 18–64 (employer-insured enrollees)	2021	7.7%	6.9%	10.0%	16	2019	7.5%	7.2%	No Change
Age 65 and older (Medicare beneficiaries)	2020	5.1%	5.5%	7.6%	31	2018	5.4%	5.7%	Worsened
Healthy Lives	2023 Scorecard					Baseline			
Premature deaths from treatable causes per 100,000 population	2020–21	88	89	59	31	2018–19	85	84	No Change
Premature deaths from preventable causes per 100,000 population	2020–21	214	232	152	23	2018–19	168	166	Worsened

Table 1. State Health System Performance Indicator Data by Dimension (cont.)

Dimension and indicator	Data year	State rate	U.S. average	Best state rate	State rank	Data year	State rate	U.S. average	Change over time ^b
Healthy Lives (cont.)	2023 Scorecard					Baseline			
Drug overdose deaths per 100,000 population	2021	43	32	11	39	2019	38	22	No Change
Suicide deaths per 100,000 population	2021	10	14	6	5	2019	10	14	No Change
Alcohol-related deaths per 100,000 population	2021	9	14	8	4	2019	6	10	No Change
Adults ages 18–64 who report fair or poor health	2021	12%	14%	10%	13	2019	13%	17%	No Change
Adults age 18 and older who smoke	2021	10%	14%	7%	5	2019	13%	15%	Improved
Adults who are obese	2021	36%	34%	25%	31	2019	33%	32%	Worsened
Children who are overweight or obese	2020–21	32%	34%	24%	22	2018–19	35%	31%	Improved
Adults who have lost six or more teeth	2020	6%	9%	5%	5	2018	7%	9%	No Change
Reproductive & Women’s Health	2023 Scorecard					Baseline			
Maternal deaths while pregnant or within 42 days of termination of pregnancy, per 100,000 live births	2019–21	24	26	10	17	—	—	—	—
Severe maternal morbidity rate per 10,000 in-hospital deliveries	2020	88	88	43	31	2018	82	77	No Change
Infant mortality, deaths per 1,000 live births	2020	5.7	5.4	3.5	29	2018	6.0	5.7	No Change
Share of births born preterm, prior to 37 weeks of pregnancy (gestation)	2021	11%	10%	8%	31	2019	10%	10%	No Change
Breast and cervical cancer deaths per 100,000 female population	2021	21	22	16	19	2019	22	22	No Change
All-cause mortality rate per 100,000 women ages 15–44	2021	112	124	79	20	2019	91	89	Worsened
Share of in-hospital births in state with a self-pay insurance payment source	2021	2.69%	2.74%	0.30%	34	2019	2.41%	3.41%	No Change
Women ages 18–44 without a usual source of care	2021	16%	21%	9%	13	—	—	—	—
Women ages 18–44 without a routine checkup in the past two years	2021	11%	13%	8%	15	2019	10%	13%	No Change
Share of births not beginning prenatal care in first trimester	2021	23%	22%	11%	38	2019	26%	22%	No Change
Share of women with a recent live birth who did not report having a postpartum checkup visit	2020	10%	11%	8%	9	2018	10%	9%	No Change
Women with up-to-date breast and cervical cancer screenings	2020	77%	74%	80%	7	2018	79%	76%	No Change

Table 2. State Income Disparity Data

Disparity Indicator	Data year	Low-income rate ^c	Disparity ^d	State rank	Data year	Low-income rate ^c	Disparity ^d	Change over time ^e
	2023 Scorecard				Baseline			
Adults ages 19–64 uninsured	2021	17%	-14	29	2019	18%	-14	Improved
Children ages 0–18 uninsured	2021	7%	-5	26	2019	5%	-3	Worsened
Adults age 18 and older who went without care because of cost in past year	2020–21	22%	-18	38	2018–19	25%	-20	Improved
Adults age 18 and older without a usual source of care	2020–21	28%	-18	47	—	—	—	—
Individuals under age 65 with high out-of-pocket medical costs relative to their annual household income	2020–21	21%	—	—	2018–19	28%	-26	—
Adults age 18 and older without a dental visit in past year	2018/20	54%	-31	37	2016/18	53%	-33	No Change
Adults with all age- and gender-appropriate cancer screenings	2018/20	71%	-4	1	2016/18	66%	-9	Improved
Adults with age-appropriate flu and pneumonia vaccines	2020–21	35%	-20	46	2018–19	32%	-15	Worsened
Children ages 19–35 months who did not receive all recommended vaccines	2021	30%	-20	41	2019	32%	-15	No Change
Children ages 0–17 with all components of a medical home	2020–21	26%	-32	44	2018–19	35%	-23	No Change
Children without age-appropriate medical and dental preventive care visits in the past year	2020–21	41%	-15	7	—	—	—	—
Potentially avoidable emergency department visits, Medicare beneficiaries age 65 and older, per 1,000 beneficiaries	2020	230	-113	14	2019	318	-151	Improved
Hospital admissions for ambulatory care–sensitive conditions, Medicare beneficiaries age 65 and older, per 1,000 beneficiaries	2020	43	-19	1	2019	59	-25	Improved
30-day hospital readmissions, Medicare beneficiaries age 65 and older, per 1,000 beneficiaries	2020	57	-30	14	2019	63	-30	No Change
Primary care spending as share of total health care spending among Medicare beneficiaries age 65 and older	2020	5.2%	0.1	8	2018	5.2%	-0.2	No Change
Adults ages 18–64 who report fair or poor health	2020–21	20%	-14	5	2018–19	26%	-19	Improved
Adults age 18 and older who smoke	2020–21	19%	-12	8	2018–19	21%	-13	Improved
Adults ages 18–64 who are obese (BMI >= 30)	2020–21	35%	-4	6	2018–19	36%	-5	Improved
Adults ages 18–64 who have lost six or more teeth because of tooth decay, infection, or gum disease	2018/20	12%	-8	8	2016/18	13%	-9	Improved

Table 3. State Racial and Ethnic Health Equity Performance Summary Data^f

 Health System Performance Score & State Rank
Among Population Group

	Percentile Score (1–100)	State Rank Among Population Group
American Indian and Alaska Native people	—	—
Asian American, Native Hawaiian, and Pacific Islander people	96	3 of 30 states
Black people	66	3 of 39 states
Hispanic people	32	27 of 48 states
White people ^g	94	—

Performance Score based on methodology used in: *Achieving Racial and Ethnic Equity in U.S. Health Care: A Scorecard of State Performance*, Commonwealth Fund, Nov. 2021, available at: <https://www.commonwealthfund.org/publications/scorecard/2021/nov/achieving-racial-ethnic-equity-us-health-care-state-performance>

Table 4. State Racial and Ethnic Health Equity Performance Measure Data^f

	Data year	U.S. total	AIAN people	AANHPI people	Black people	Hispanic people	White people
Health Outcomes							
Deaths before age 75 from health care treatable causes per 100,000 population	2020–21	89	—	43	135	47	75
Deaths before age 75 from preventable causes per 100,000 population	2020–21	232	152	77	292	171	199
Colorectal cancer deaths per 100,000 population	2020–21	13	—	9	16	9	13
Adults age 18 and older who smoke	2020–21	14%	19%	7%	11%	6%	11%
Adults ages 18–64 who are obese (BMI >= 30)	2020–21	34%	25%	15%	43%	33%	31%
Adults ages 18–64 who have lost six or more teeth because of tooth decay, infection, or gum disease	2018/20	9%	—	4%	7%	5%	7%
30-day hospital readmissions, Medicare beneficiaries age 65 and older, per 1,000 beneficiaries	2020	33	—	—	45	—	27
Health Care Access							
Adults ages 19–64 uninsured	2021	12%	—	7%	7%	29%	4%
Children ages 0–18 uninsured	2021	5%	—	5%	4%	10%	3%
Adults age 18 and older who went without care because of cost in past year	2020–21	10%	14%	7%	9%	26%	5%
Adults age 18 and older without a usual source of care	2020–21	17%	11%	13%	13%	43%	10%
Individuals under age 65 with high out-of-pocket medical costs relative to their annual household income	2020–21	7%	—	4%	3%	13%	7%
Health Care Quality and Service Use							
Adult women ages 50–74 who did not receive a mammogram in the past two years	2018/20	22%	15%	17%	13%	21%	21%
Adult women ages 25–64 who did not receive a cervical cancer screening test in the past three years	2018/20	24%	47%	26%	15%	19%	21%
Adults ages 50–74 without a recent colon cancer screening test	2018/20	28%	21%	30%	23%	39%	26%

Table 4. State Racial and Ethnic Health Equity Performance Measure Data (cont.)^f

	Data year	U.S. total	AIAN people	AANHPI people	Black people	Hispanic people	White people
Health Care Quality and Service Use (cont.)							
Adults age 18 and older who did not receive a flu shot in the last year	2020–21	55%	50%	45%	59%	68%	42%
Adults age 65 and older who have never gotten a pneumonia vaccine	2020–21	30%	36%	36%	33%	43%	21%
Hospital admissions for ambulatory care–sensitive conditions, Medicare beneficiaries age 65 and older, per 1,000 beneficiaries	2020	29	—	—	39	—	24
Potentially avoidable emergency department visits, Medicare beneficiaries age 65 and older, per 1,000 beneficiaries	2020	137	—	—	190	—	117
Adults age 18 and older without a dental visit in past year	2018/20	35%	36%	36%	40%	45%	28%
Children ages 19–35 months who did not receive all recommended vaccines	2021	28%	—	—	20%	25%	17%
Children without age-appropriate medical and dental preventive care visits in the past year	2020–21	38%	—	—	35%	35%	25%
Primary care spending as a share of total health care spending age 65 and older (Medicare beneficiaries)	2020	6%	—	—	5%	—	5%

Table 5. Select Reproductive Care and Women’s Health Measures by Race and Ethnicity

	Data year	U.S. total	AIAN people	AANHPI people	Black people	Hispanic people	White people
Severe maternal morbidity rate per 10,000 in-hospital deliveries	2020	88	—	—	114	98	68
Infant mortality, deaths per 1,000 live births	2019-20	5.4	—	3.3	9.1	5.3	3.7
Share of births born preterm, prior to 37 weeks of pregnancy (gestation)	2020-21	10%	10%	9%	13%	10%	9%
Breast and cervical cancer deaths per 100,000 female population	2020-21	22	—	12	29	15	21
All-cause mortality rate per 100,000 women ages 15–44	2020-21	124	—	35	143	68	120
Share of births not beginning prenatal care in first trimester	2020-21	22%	28%	18%	27%	43%	14%

Notes

(a) The 2023 Scorecard rankings generally reflect 2021 data. The 2023 Scorecard added or revised several performance measures, including the addition of 12 measures specifically related to reproductive care and women’s health and the removal of most measures around state COVID-19 response, since the June 2022 Scorecard report; rankings are not comparable between reports.

(b) Trend data available for 50 of 58 total Scorecard indicators. Improved/worsened denotes a change of at least one-half (0.5) standard deviation larger than the indicator’s distribution among all states over the two time points. No change denotes no change in rate or a change of less than one-half standard deviation.

(c) Rates are for state’s low-income population, generally those whose household income is less than 200% of the federal poverty level (FPL).

(d) Income disparity is the difference between the state’s low-income and higher-income (generally 400%+ FPL) populations.

(e) Improvement indicates that the low-income rate improved and the disparity between low- and higher-income populations narrowed; worsening indicates that the low-income rate worsened and the disparity between low- and higher-income populations widened.

(f) Performance data not available for all groups in every state.

(g) State not ranked on health system performance for white people in this report; included for comparative purposes.

“—” means data not available.